



Instructions
for Use Personal Prophylactic Hygiene Care
Male Liquid Rectal Suppositories
SCHALI® Care-MU
Adjuvant Urology

Instructions for Use
Personal Prophylactic Hygiene Care
Male Liquid Rectal Suppositories
SCHALI® Care–MU
Adjuvant Urology

SCHALI® Care–MU Liquid Rectal Suppositories are a highly-effective photoactive product intended for general strengthening, stimulating and anti-inflammatory effects in scope of complex treatment and prevention of urological disorders and benign growths in urogenital organs.

PRODUCT FORM:

Prophylactic hydrogel in 3 ml disposable single-dose container.

INGREDIENTS:

Aqua, Hydroxypropyl Cyclodextrin, Glycerin, Propylene Glycol, Glycereth-18 Ethylhexanoate, Glycereth-18, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Titanium Dioxide, Triethanolamine, Diazolidinyl Urea, Methylparaben, Propylparaben, Phosphoric Acid.

MECHANISM OF ACTION:

Soft hydrogel formulation of the suppositories dissolves slowly in the rectum, where it is absorbed by rectal mucosa. The product acts locally by inducing regeneration, strengthening vascular walls and improving microcirculation in capillaries.

Mineral bio-constituent of the hydrogel formulation includes fragments of a certain class of metalloid semiconductors with unsaturated bonds - titanium dioxide crystalline lattice - known for its high catalytic activity. Photoactive particles of QD SCHALI® titanium dioxide trigger generation of active oxygen forms (singlet oxygen). Mechanism of action is based on the principle of energetic neutralization of free chemical bonds on the surface of toxic compounds by saturating them with complementary oxygen atoms, generated in the result of the catalytic reaction.

Besides, active oxygen forms (singlet oxygen) trigger mechanism of activation in serotonin receptors, leading to better regulation of serotonin reuptake inhibition by selectively blocking serotonin absorption in presynaptic membrane. Re-balanced serotonin level helps in restoring homeostasis and ceasing thanatogenesis, promotes male health, cellular metabolism and immune response.

The product shows no immunotoxic action and causes no immune hyporeactivity: alpha- and gamma-interferon synthesis is not affected even after a long-term use of the product.

Regular use of the product induces factors of both specific and non-specific defence system against foreign agents, i.e. antigens. Besides, the product triggers both spontaneous and induced synthesis of cytokines mostly produced in the mononuclear phagocyte system and neutrophils.

The product is intended for personal care purposes, has preventive action and may be used as complex therapy and photodynamic therapy agents in treatment of urological conditions for lower tone in smooth cells of bladder neck, prostate, male urethra etc. and for better detrusor muscle function.

Hypoallergenic product.

INDICATIONS:

- Genital Benign Neoplasms: Penis benign tumors: Leucoplakia, Serous obliterans balanitis, Genital warts
- Scrotum benign tumors: Epidermal cysts (sebaceous cysts), Papilloma
- Benign prostate tumors: Adenoma

METHOD OF USE:

For rectal use only.

Take one single-dose container out of the package with clean hands, insert into the rectum and press out its content, while lying on your side. Apply one suppository 2 times a day for one month. Extend your course of treatment up to 90 days, if necessary.

SIDE EFFECTS:

No side effects found.

No product dependence and no rebound syndrome.

CONTRAINDICATIONS:

No contraindications detected.

STORAGE CONDITIONS:

Keep the product in a dark cool place at the temperature below 25°C.

SHELF LIFE:

Shelf life is 3 years from the date of production.

Do not use the product after expiration of the date of production, specified on the package.

SCHALI® Care Personal Hygiene Products are made under license No. 286-S.